



# Safety Data Sheet (SDS) BIO-DEX LABORATORIES, LLC

## Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 1 of 8

### 1 PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer

BIO-DEX LABORATORIES, LLC  
4212 W. INNOVATION DR.  
PHOENIX, AZ 85086


**Contact:** BIO-DEX LABORATORIES, LLC  
**Phone:** 800-617-3477 // 623-582-2400  
**Web:** www.bio-dex.com

**Product Name:** Knock Out Water Treatment  
**Revision Date:** 5/9/2015  
**Version:** 1.00  
**SDS Number:** 230  
**Common Name:** Sodium Bromide  
**CAS Number:** 7647-15-6  
**Chemical Family:** Inorganic Salt  
**Chemical Formula:** NaBr  
**Synonyms:** Pool Water Clarifying Additive  
**Product Use:** Pool Water Discoloration Treatment Solution  
**Emergency Phone:** (800) 424-9300 (CHEMTREC)

### 2 HAZARDS IDENTIFICATION

NFPA:  
HMIS III:

Health = 1, Fire = 0, Reactivity = 0  
H\*1/F0/PH0



HMIS III	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARDS	0
PERSONAL PROTECTION B   Safety Glasses, Gloves	

PERSONAL PROTECTION INDEX			
A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or S.O.P. for "SPECIAL" handling directions
A		n	
n		o	
o		p	
p		q	
q		r	
r		s	
t		u	
u		w	
w		y	
y		z	
z			Additional Information

GHS Signal Word:  
WARNING

GHS Classifications:  
Health, Acute toxicity, 5 Oral  
Health, Acute toxicity, 5 Dermal  
Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Phrases:  
H303 - May be harmful if swallowed



## Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 2 of 8

H313 - May be harmful in contact with skin  
H320 - Causes eye irritation

### GHS Precautionary Statements:

P262 - Do not get in eyes, on skin, or on clothing.  
P264 - Wash skin thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P302+352 - IF ON SKIN: Wash with soap and water.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P332+313 - If skin irritation occurs: Get medical advice/attention.  
P337+313 - If eye irritation persists: Get medical advice/attention.  
P405 - Store locked up.  
P501 - Dispose of contents/container to an approved waste disposal plant.

### 3

## COMPOSITION/INFORMATION ON INGREDIENTS

### Ingredients:

Cas #	Percentage	Chemical Name
7647-15-6	100%	Sodium bromide (NaBr)

### 4

## FIRST AID MEASURES

**Inhalation:** Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

**Skin Contact:** Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. Remove contaminated clothing and wash before reuse. If reddening develops and/or persists, obtain medical attention.

**Eye Contact:** Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses if present and easy to do so. If eye irritation persists, obtain medical attention.

**Ingestion:** Rinse mouth with water. Do NOT induce vomiting unless instructed to do so. Give 3-4 glasses of water or milk to dilute stomach contents. Never give anything by mouth to an unconscious person. Contact a Poison Control Center for advice. If symptoms develop and/or persist, obtain medical attention.

### Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

### Indication of any immediate medical attention and special treatment needed:

No data available.



Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 3 of 8

**5 FIRE FIGHTING MEASURES**

**Flammability:** Not flammable  
**Flash Point:** DNA  
**Flash Point Method:** DNA  
**Burning Rate:** No data available  
**Autoignition Temp:** No data available  
**LEL:** No data available  
**UEL:** No data available

**Extinguishing Media:**

Water Spray  
Water Fog  
Carbon Dioxide  
Alcohol-Resistant Foam  
Dry Chemical

**Special Hazards Arising From the Substance or Mixture:**

Hydrogen Bromide gas  
Sodium Oxides

**Advice for Firefighters:**

Firefighters should wear full-face, positive-pressure respirators.

**Further Information:**

If incinerated, may release toxic fumes.  
Use water spray to cool unopened containers.  
See Section 7 for more information on safe handling.  
See Section 8 for more information on personal protection equipment.  
See Section 13 for disposal information.

**6 ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Use personal protective equipment.  
Keep from contacting skin or eyes.  
Avoid formation of dusts.  
Avoid inhalation of dusts.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

**Environmental Precautions:**

Prevent further release (leakage/spillage) if safe to do so.  
Do not allow to drain to environment.

**Methods and Materials for Containments and Cleaning Up:**

Pick up and arrange disposal without creating dust.  
Sweep up, shovel or collect spillage with an electrically protected vacuum cleaner.  
Place contaminated material into suitable, closed containers for disposal.  
Dispose of contaminated material according to Section 13.  
After spillage has been collected, area may be flushed with water or wet-brushed.



## Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 4 of 8

Ensure adequate ventilation.

### Reference to Other Sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on proper disposal.

## 7 HANDLING AND STORAGE

### Handling Precautions:

Avoid contact with eyes, skin, or clothing.  
Avoid formation of dusts.  
Keep containers closed when not in use.  
Do not expose containers to open flame, excessive heat, or direct sunlight.  
Do not smoke, eat or drink when using this product.  
Do not puncture or drop containers.  
Handle with care and avoid spillage on the floor.  
Keep material out of reach of children.  
Keep material away from incompatible materials.  
Wash thoroughly after handling.  
Ensure adequate ventilation.

### Storage Requirements:

Keep container tightly closed.  
Do not store in direct sunlight.  
Store in a dry place - material is hygroscopic.  
Store away from strong acids, strong bases, strong oxidizing agents, Alkali metals and Halogens.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

### Personal Protective Equip:

**Eye/face protection:**  
When using material use safety glasses and gloves according to HMIS PP, B. Use of a dust respirator according to HMIS PP, T is also highly recommended when handling product in a way that may produce nuisance dusts. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

#### Skin protection:

Handle with gloves made from PVC, Neoprene, Nitrile or Buna rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and laboratory practices.

#### Body Protection:

Chemically resistant safety glasses and gloves are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.

#### Respiratory protection:

Use of a dust respirator is recommended. Full-face vapor respirator may be required as



## Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 5 of 8

backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds. Respiratory protection must comply with 29 CFR 1910.134.

Control of environmental exposure:  
Prevent leakage or spillage if safe to do so. Do not let material enter drains.

### Components with workplace control parameters:

Contains no substances with occupational exposure limit values.

### Biological occupational exposure limits:

Contains no substances with biological occupational exposure limit values.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	White, crystalline solid	<b>Odor:</b>	Odorless
<b>Physical State:</b>	Solid	<b>Molecular Formula:</b>	NaBr
<b>Odor Threshold:</b>	Not determined	<b>Solubility:</b>	100%
<b>Particle Size:</b>	Not determined	<b>Softening Point:</b>	Not determined
<b>Spec Grav./Density:</b>	No data available	<b>Percent Volatile:</b>	Not determined
<b>Viscosity:</b>	Not determined	<b>Heat Value:</b>	Not determined
<b>Sat. Vap. Conc.:</b>	Not determined	<b>Freezing/Melting Pt.:</b>	Not determined
<b>Boiling Point:</b>	1390 °C (2534 °F)	<b>Flash Point:</b>	DNA
<b>Flammability:</b>	(solid, gas): Not flammable	<b>Octanol:</b>	Not determined
<b>Partition Coefficient:</b>	Not determined	<b>Vapor Density:</b>	(air = 1): Not determined
<b>Vapor Pressure:</b>	(mm Hg @ 806 °C): 1.0	<b>VOC:</b>	DNA
<b>pH:</b>	@ 5%: 5.0 - 9.0	<b>Bulk Density:</b>	Not determined
<b>Evap. Rate:</b>	(N-Butyl Acetate = 1): Not determined	<b>Auto-ignition Temp:</b>	Not determined
<b>Molecular weight:</b>	102.89 g/ml	<b>UFL/LFL:</b>	Not determined
<b>Decomp Temp:</b>	806 °C (1483 °F)		

## 10 STABILITY AND REACTIVITY

<b>Stability:</b>	Product is stable under normal conditions.
<b>Conditions to Avoid:</b>	Incompatibilities, flames, ignition sources.
<b>Materials to Avoid:</b>	Strong acids, strong bases, strong oxidizing agents, Alkali metals and Halogens.
<b>Hazardous Decomposition:</b>	Hydrogen Bromide gas and Sodium Oxides.
<b>Hazardous Polymerization:</b>	Will not occur.

## 11 TOXICOLOGICAL INFORMATION

**Component(s):** Sodium Bromide  
**CAS No(s):** 7647-15-6

**Acute Toxicity:**  
LD50 Oral - Rat: 3,500 mg/kg  
LD50 Dermal - Rabbit: > 2,000 mg/kg



Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 6 of 8

**Skin Corrosion/Irritation:** Rabbit skin - No skin irritation.

**Serious Eye Damage/Eye Irritation:** Rabbit eyes - Mild eye irritation.

**Respiratory or Skin Sensitation:** No data available.

**Germ Cell Mutagenicity:** No data available.

**Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive Toxicity:** Sodium Bromide has been shown to cause embryo-fetal toxicity and malformations in rats at dose levels that also produce maternal toxicity. The No-Observed Effect Level (NOEL) is 100 mg/kg/day, and the Acceptable Daily Intake (ADI) for Sodium Bromide from food and drinking water in humans is 1 mg/kg/day. Comparable high doses of Sodium Chloride (table salt) similarly cause malformations, embryo-fetal toxicity, and maternal toxicity in mice.

Reproductive Toxicity Oral - Rat: Paternal Effects (testes, epididymis, sperm duct)

Reproductive Toxicity Oral - Rat: Effects of Fertility (mating performance), Effects on Newborn (viability index, waning or lactation index)

**Specific Target Organ Toxicity - Single Exposure:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure:** No data available.

**Aspiration Hazard:** No data available.

**Additional Information:**

Component: Sodium Bromide; RTECS: VZ3150000

12

**ECOLOGICAL INFORMATION**

**Component(s):** Sodium Bromide

**CAS No(s):** 7647-15-6

**Toxicity:**

*Toxicity to fish:*

LC50 - *Poecilia reticulata* (Guppy) 160,000 mg/l (96 h)

Mortality NOEC - *Oryzias latipes* (Japanese Rice Fish): 7,8000 mg/l (96 h)

*Toxicity to daphnia and other aquatic invertebrates:*

EC50 - *Daphnia pulex* (Water Flea): 5,800 mg/l (48 h)

Mortality NOEC - *Daphnia magna* (Water Flea): 7,800 mg/l (48 h)

**Persistence and Degradability:**

Not applicable to inorganic substances.



Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 7 of 8

**Bioaccumulative potential:**

No data available.

**Mobility in Soil:**

No data available.

**Results of PBT and vPvB assessment:**

Not required/conducted.

**Other Adverse Effects:**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13

**DISPOSAL CONSIDERATIONS**

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

14

**TRANSPORT INFORMATION**

**DOT (US)**

Non-regulated material, solid

**IMDG**

Non-regulated material, solid

**IATA**

Non-regulated material, solid

15

**REGULATORY INFORMATION**

COMPONENT / (CAS/PERC) / CODES

-----  
\*Sodium bromide (NaBr) (7647156 100%) NJHS, PA, TSCA

REGULATORY KEY DESCRIPTIONS

-----  
NJHS = NJ Right-to-Know Hazardous Substances  
PA = PA Right-To-Know List of Hazardous Substances  
TSCA = Toxic Substances Control Act



# Safety Data Sheet (SDS)

## BIO-DEX LABORATORIES, LLC

### Knock Out Water Treatment

SDS Number: 230

Revision Date: 5/9/2015

Page 8 of 8

16

#### OTHER INFORMATION

##### **Disclaimer:**

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that BIO-DEX LABORATORIES, LLC. believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of BIO-DEX LABORATORIES, LLC's control, BIO-DEX LABORATORIES, LLC. makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

##### **Preparation Information:**

GHS Conversion Services  
www.ghsconversionservices.com  
(414) 336-2546