

Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 1 of 8

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

BIO-DEX LABORATORIES. LLC 4212 W. INNOVATION DR. PHOENIX, AZ 85086

Contact: **BIO-DEX LABORATORIES, LLC** Phone: 800-617-3477 // 623-582-2400

Web: www.bio-dex.com

Product Name: Plaster White 'n Brite

Revision Date: 5/8/2015 Version: 1.00 **SDS Number:** 228 **CAS Number: MIXTURE**

Chemical Family: Quaternary Blend *** PROPŘIETARY *** **Chemical Formula:**

Synonyms: Additive for Plaster Cleaning Treatment

Product Use: Acid Wash Additive

Emergency Phone: (800) 424-9300 (CHEMTREC)

2

HAZARDS IDENTIFICATION

NFPA: HMIS III:



Health = 1, Fire = 1, Reactivity = 0 H1/F1/PH0



PERSONAL PROTECTION INDEX ØQ+ **■**+ **※** DO Ø**⊠** + ≪ D Consult your superviso or S.O.P. for "SPECIAL" w

GHS Signal Word: DANGER

GHS Hazard Pictograms:







Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 2 of 8

GHS Classifications:

Health, Skin corrosion/irritation, 2

Health, Serious Eye Damage/Eye Irritation, 1

GHS Phrases:

H315 - Causes skin irritation

H318 - Causes serious eye damage

GHS Precautionary Statements:

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P302+352 - IF ON SKIN: Wash with soap and water.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplementary first aid instructions on this label).

P332+313 - If skin irritation occurs: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

3

Cas #	Percentage	Chemical Name
N/A	73-87	Proprietary, non-hazardous, non-regulated
N/A	10-20%	Trade Secret*
107-41-5	3-7%	Hexylene glycol

^{*}The specific chemical identities of the ingredients of this mixture labeled as "Trade Secret" are considered to be proprietary and are withheld in accordance with the provisions of 29CFR1910.1200 Sect. (i) Trade Secrets.

4 FIRST AID MEASURES

Inhalation: Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms

persist, obtain medical attention.

Skin Contact: Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. Remove

contaminated clothing and wash before reuse. If reddening develops and/or persists, obtain medical

attention. Wash contaminated clothing before reuse.

Eye Contact: Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Get

immediate medical attention. Continue rinsing eyes during transport to hospital.

Ingestion: Rinse mouth with water. Do NOT induce vomiting unless instructed to do so. Give 3-4 glasses of water or

milk to dilute stomach contents. Never give anything by mouth to an unconscious person. Contact a Poison Control Center for advice. If symptoms develop and/or persist, obtain medical attention.

Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

Indication of any immediate medical attention and special treatment needed:

No data available.



Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 3 of 8

5

FIRE FIGHTING MEASURES

Flammability: Not determined Not determined Not determined

Flash Point Method: DNA

Burning Rate: No data available
Autoignition Temp: No data available
LEL: No data available
UEL: No data available

Extinguishing Media:

Water Spray
Water Fog
Carbon Dioxide
Alcohol-Resistant Foam
Dry Chemical

Special Hazards Arising From the Substance or Mixture:

Carbon Oxides Hydrochloric Acid gas Nitrogen Oxides (NOx) Sodium Oxides

Advice for Firefighters:

Firefighters should wear full-face, positive-pressure respirators.

Further Information:

If incinerated, may release toxic fumes.

Use water spray to cool unopened containers.

Do NOT use high volume water jet to extinguish fire, as the force of the water jet may cause fire to spread.

See Section 7 for more information on safe handling.

See Section 8 for more information on personal protection equipment.

See Section 13 for disposal information.

6

ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment.

Keep from contacting skin or eyes.

Avoid breathing vapors, mist or gas.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

Environmental Precautions:

Prevent further release (leakage/spillage) if safe to do so.

Methods and Materials for Containments and Cleaning Up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Place contaminated material into suitable, closed containers for disposal.

Dispose of contaminated material according to Section 13.



Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 4 of 8

After spillage has been collected, area may be flushed with water or wet-brushed. Ensure adequate ventilation.

Reference to Other Sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on proper disposal.

HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, or clothing.

Keep containers closed when not in use.

Do not expose containers to open flame, excessive heat, or direct sunlight.

Keep away from sources of ignition.

Do not smoke, eat or drink when using this product.

Do not puncture or drop containers.

Handle with care and avoid spillage on the floor.

Keep material out of reach of children.

Keep material away from incompatible materials.

Wash thoroughly after handling.

Ensure adequate ventilation.

Storage Requirements: Keep container tightly closed.

Do not store in direct sunlight.

Store away from strong acids, strong bases, strong oxidizing agents, strong reducing agents

and anionic surfactants.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use

local exhaust at filling zones and where leakage and dust formation is probable. Use

mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to

keep Exposure Limits in Air below TLV & PEL limits.

Personal Protective Equip: Eye/face protection:

When using material use safety glasses and gloves according to HMIS PP, B. All safety equipment should be tested and approved under appropriate government standards such as

NIOSH (US) or EN 166 (EU).

Skin protection:

Handle with gloves made from PVC, Neoprene, Nitrile or Buma rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws

and laboratory practices.

Body Protection:

Chemically resistant safety glasses and gloves are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this

material.

Respiratory protection:

Full-face vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds.



Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 5 of 8

Respiratory protection must comply with 29 CFR 1910.134.

Control of environmental exposure:

Prevent leakage or spillage if safe to do so. Do not let material enter drains.

Components with workplace control parameters:

Component(s): Hexylene Glycol

CAS-No(s): 107-41-5

USA NIOSH Recommended Exposure Limits (C): 125 mg/m³

USA ACGIH (C/TLV): 125 mg/m³

USA OSHA Occupational Exposure Limits Table Z-1 Limits for Air Contaminants (C): 125 mg/m³

Biological occupational exposure limits:

Contains no substances with biological occupational exposure limit values.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, yellow liquid

Physical State: Liquid Odor: Characteristic Odor Threshold: Not determined Molecular Formula: MIXTURE Particle Size: Not determined Solubility: 100%

Spec Grav./Density: 0.980 g/ml (8.18 lbs/gal) **Softening Point:** Not determined Viscosity: Percent Volatile: 76.0 - 94.0% Not determined Sat. Vap. Conc.: Not determined **Heat Value:** Not determined **Boiling Point:** Freezing/Melting Pt.: Not determined Not determined Flash Point: Flammability: (solid, gas): Not determined Not determined Partition Coefficient: Not determined Octanol: Not determined

Vapor Pressure: (mm Hg @ 25 °C): Not determined Vapor Density: (air = 1): Not determined

VOC:

pH: @ 100%: 4.3 DNA

Evap. Rate: (N-Butyl Acetate = 1): Not determined **Bulk Density:** Not determined Molecular weight: **MIXTURE Auto-Ignition Temp:** Not determined

Decomp Temp: Not determined UFL/LFL: Not determined

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions. **Conditions to Avoid:** Incompatibilities, flames, ignition sources.

Materials to Avoid: Strong acids, strong bases, strong oxidizing agents, strong reducing agents and anionic

surfactants.

Hazardous Decomposition: Carbon Oxides, Hydrochloric acid gas, Nitrogen Oxides (NOx) and Sodium Oxides.

Hazardous Polymerization: Will not occur.

11 **TOXICOLOGICAL INFORMATION**

Component(s): Trade Secret; Hexylene Glycol

CAS No(s): N/A; 107-41-5

Acute Toxicity:



Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 6 of 8

LD50 Oral - Rat: 3,700 mg/kg LD50 Oral - Mouse: 3,097 mg/kg LD50 Dermal - Rabbit: 8,560 mg/kg LC50 Inhalation - Rat: 310 mg/m³ (1 h)

Skin Corrosion/Irritation: Rabbit skin - Iritating to skin (24 h).

Serious Eye Damage/Eye Irritation: Rabbit eyes - Severe eye irritation.

Respiratory or Skin Sensitation: No data available.

Germ Cell Mutagenicity: No data available.

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or ACGIH:

potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or OSHA:

potential carcinogen by OSHA.

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity - Single Exposure: No data available.

Specific Target Organ Toxicity - Repeated Exposure: No data available.

Aspiration Hazard: No data available.

Additional Information:

Component: Hexylene Glycol; RTECS: SA0810000

12 **ECOLOGICAL INFORMATION**

Component(s): Trade Secret; Hexylene Glycol

CAS No(s): N/A; 107-41-5

Toxicity:

Toxicity to fish:

LC50 - Pimephales promelas (Fathead Minnow): 10,700 mg/l (96 h)

Toxicity to daphnia and other aquatic invertebrates:

EC50 - Daphnia magna (Water Flea): 3,200 mg/l (48 h)

Persistence and Degradability:

Readily biodegradable.

Bioaccumulative potential:

No data available.



Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 7 of 8

Mobility in Soil:

No data available.

Results of PBT and vPvB assessment:

Not required/conducted.

Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13

DISPOSAL CONSIDERATIONS

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

14

TRANSPORT INFORMATION

DOT (US)

Non-regulated material, liquid

IMDG

Non-regulated material, liquid

IATA

Non-regulated material, liquid

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List NJHS = NJ Right-to-Know Hazardous Substances PA = PA Right-To-Know List of Hazardous Substances

SARA311/312 = SARA 311/312 Toxic Chemicals

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

^{*}Trade Secret (N/A 10-20%) NJHS, PA, SARA311/312, TSCA

^{*}Hexylene glycol (107415 3-7%) MASS, NJHS, OSHAWAC, PA, SARA311/312, TSCA, TXAIR



Plaster White 'n Brite

SDS Number: 228 Revision Date: 5/8/2015

Page 8 of 8

16

OTHER INFORMATION

Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that BIO-DEX LABORATORIES, LLC. believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of BIO-DEX LABORATORIES, LLC's control, BIO-DEX LABORATORIES, LLC. makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

Preparation Information:

GHS Conversion Services www.ghsconversionservices.com (414) 336-2546