



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Skill-It Swimming Pool Algacide

**Other means of identification**

Product Code 863602

Product registration number 10324-19-35056

**Recommended use** Water Treatment Algae and Slime

**Recommended restrictions**

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

Company name BIO-DEX Laboratories,LLC

Address 4212 W. Innovative Dr.  
Phoenix, Arizona 85086  
United States

Telephone (623) 582-2400  
1-800-617-3477

E-mail info@bio-dex.com

**Emergency phone number** CHEMTREC: 1- 800-424-9300

CHEMTREC USA: 1-800-424-9300

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 3

**Health hazards** Acute toxicity, oral Category 4

Skin Category 1B

corrosion/irritation Category 1

**Environmental hazards** Serious eye damage/eye irritation Category 1

Hazardous to the aquatic environment, acute hazard

Hazardous to the aquatic environment, long-term hazard Category 1

**OSHA defined hazards** Not classified

### Label elements



**Signal word** Danger

**Hazard statement** Flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.



# Safety Data Sheet (SDS)

BIO-DEX LABORATORIES, LLC

## SKILL-IT Algaeicide

SDS Number: 237

Revision Date 10/2/2019

Page 2 of 11

GHS Signal Word:  
DANGER

GHS Hazard Pictograms:



GHS Classifications:

- DPhysical, Flammable Liquids, 3
- DHealth, Acute toxicity, 4 Oral
- DHealth, Acute toxicity, 4 Dermal
- DHealth, Skin corrosion/irritation, 1 B
- DHealth, Serious Eye Damage/Eye Irritation, 1
- DHealth, Specific target organ toxicity - Single exposure, 3
- DEnvironmental, Hazards to the aquatic environment - Acute, 1

GHS Phrases:

- DH226 - Flammable liquid and vapor
- DH302 - Harmful if swallowed DH312
- Harmful in contact with skin
- DH314 - Causes severe skin burns and eye damage
- DH318 - Causes serious eye damage DH336
- May cause drowsiness or dizziness DH400
- Very toxic to aquatic life

GHS Precautionary Statements:

- DP210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
- DP233 - Keep container tightly closed.
- DP240 - Ground/bond container and receiving equipment.
- DP242 - Use only non-sparking tools.
- DP243 - Take precautionary measures against static discharge.
- DP260 - Do not breathe dust/fume/gas/mist/vapors/spray.
- DP262 - Do not get in eyes, on skin, or on clothing.
- DP264 - Wash skin thoroughly after handling.
- DP270 - Do not eat, drink or smoke when using this product.
- DP271 - Use only outdoors or in a well-ventilated area.
- DP273 - Avoid release to the environment.
- DP280 - Wear protective gloves/protective clothing/eye protection/face protection.
- DP301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- DP301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- DP302+352 - IF ON SKIN: Wash with soap and water.
- DP303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- DP304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- DP305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- DP321 - Specific treatment (see supplementary first aid instructions on this label).
- DP362 - Take off contaminated clothing and wash before reuse.
- DP370+378 - In case of fire: Use dry chemical, alcohol-resistant foam, carbon dioxide or water fog for extinction.
- DP391 - Collect spillage. Hazardous to the aquatic environment.

<b>Response</b>	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.
<b>Storage</b>	Store in a well-ventilated place. Keep cool. Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alkyl Dimethyl Benzyl Ammonium Chloride		68391-01 -5 (ALT 53516-76-0)	40 - < 50
2-propanol		67-63-0	5 - < 10
Quaternary Ammonium Compounds, Benzyl-, di-C12-18-alkylmethyl, Chlorides		73049-75-9	< 0.3
Other components below reportable levels			40 - < 50

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately . Chemical burns must be treated by a physician . Wash contaminated clothing before reuse .
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Most important symptoms/effects, acute and delayed</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately . While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Chemical burns: Flush with water immediately . While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
<b>Unsuitable extinguishing media</b>	
<b>Specific hazards arising from the chemical</b>	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	Flammable liquid and vapor.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SOS.

### Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water. Prevent product from entering drains.

**Large Spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

**Small Spills:** Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SOS.

### Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SOS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-propanol (CAS 67-63-0)	PEL	980 mg/m <sup>3</sup>
		400 ppm

#### US. ACGIH Threshold Limit Values

Components	Type	Value
2-propanol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-propanol (CAS 67-63-0)	STEL	1225 mg/m <sup>3</sup>
		500 ppm
	TWA	980 mg/m <sup>3</sup>
		400 ppm

## Biological limit values

### ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
------------	-------	-------------	----------	---------------

2-propanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	
--------------------------	---------	---------	-------	--

\* - For sampling details, please see the source document.

<b>Appropriate engineering controls</b>	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
---	---

### Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles) and a face shield.
----------------------------	---

#### Skin protection

<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
------------------------	---

<b>Other</b>	Wear appropriate chemical resistant clothing.
--------------	---

<b>Respiratory protection</b>	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
-------------------------------	---

<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
------------------------	---

<b>General hygiene considerations</b>	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
---------------------------------------	---

## 9. Physical and chemical properties

<b>Appearance</b>	Clear.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Colorless to Beige
<b>Odor</b>	Almond
<b>Odor threshold</b>	Not available.
<b>pH</b>	5-7
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	119.8 °F (48.8 °C) Pensky-Martens Closed Cup
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Miscible
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.

<b>Viscosity</b>	106.25 est
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>Specific gravity</b>	0.97
<b>VOE</b>	5 % estimated

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Acids. Strong oxidizing agents. Chlorine . Isocyanates.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes severe skin burns.
<b>Eye contact</b>	Causes serious eye damage.
<b>Ingestion</b>	Causes digestive tract burns. Harmful if swallowed.

**Symptoms related to the physical, chemical and toxicological characteristics** Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

### Information on toxicological effects

**Acute toxicity** Harmful if swallowed.

Components	Species	Test Results
2-propanol (CAS 67-63-0)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	16400 mg/kg
<b>Inhalation</b>		
<i>Vapor</i>		
LC50	Rat	> 10000 ppm, 6 h
<b>Oral</b>		
LD50	Rat	5840 mg/kg
Alkyl Dimethyl Benzyl Ammonium Chloride		
<b>Acute</b>		
<b>Dermal</b>		
LD50		3560 mg/kg
<b>Oral</b>		
LD50		430 mg/kg
Quaternary Ammonium Compounds, Benzyl-,di-C12-18-alkylmethyl, Chlorides (CAS 73049-75-9)		
<b>Acute</b>		
<b>Dermal</b>		
LD50		3560 mg/kg
<b>Oral</b>		
LD50		430 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

**Serious eye damage/eye irritation** Causes serious eye damage.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**  
Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**  
Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**  
Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects .

Components	Species		Test Results
<b>2-propanol (CAS 67-63-0)</b>			
<b>Aquatic</b>			
Crustacea	EC50	Daphnia	> 10000 mg/l, 48 h
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )	> 1400 mg/l, 96 hours
		Pimephales promelas	9640 mg/l, 96 h
<b>Alkyl Dimethyl Benzyl Ammonium Chloride</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )	0.515 mg/l
<i>Chronic</i>			
Crustacea	NOEL	Daphnia	0.0042 mg/l
<b>Quaternary Ammonium Compounds, Benzyl-,di-C12-18-alkylmethyl, Chlorides (CAS 73049-75-9)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Fish	LC50	Bluegill ( <i>Lepomis macrochirus</i> )	0.515 mg/l
<i>Chronic</i>			
Crustacea	NOEL	Daphnia	0.0042 mg/l

**Persistence and degradability** This product is expected to be readily biodegradable.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

2-propanol 0.05

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

<b>Disposal instructions</b>	Dispose of this material and its container to hazardous or special waste collection point. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	D001: Waste Flammable material with a flash point <140 F D002: Waste Corrosive material [pH <=2 or >=12.5, or corrosive to steel) The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

<b>DOT</b>	
<b>UN number</b>	UN2920
<b>UN proper shipping name</b>	Corrosive liquids, flammable, n.o.s. (Quaternary Ammonium Compound, Isopropanol)
<b>Transport hazard class(es)</b>	
Class	8
Subsidiary risk	3
Label(s)	8, 3
<b>Packing group</b>	II
<b>Special precautions for user</b>	Read safety instructions, SOS and emergency procedures before handling.
<b>Special provisions</b>	82, 182, T11, TP2, TP27
<b>Packaging exceptions</b>	None
<b>Packaging non bulk</b>	202
<b>Packaging bulk</b>	243
<b>ERG number</b>	132
Note: Class 3 labels are not required when packages are transported domestically by rail or highway as noted in 49CFR 172.402 (a)	

#### IATA

<b>UN number</b>	UN2920
<b>UN proper shipping name</b>	Corrosive liquid, flammable, n.o.s. (Quaternary Ammonium Compound, Isopropanol)
<b>Transport hazard class(es)</b>	
Class	8
Subsidiary risk	3
<b>Packing group</b>	II
<b>Environmental hazards</b>	No.
<b>ERG Code</b>	8F
<b>Special precautions for user</b>	Read safety instructions, SOS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.

#### IMDG

<b>UN number</b>	UN2920
<b>UN proper shipping name</b>	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (QUATERNARY AMMONIUM COMPOUND, ISOPROPANOL)
<b>Transport hazard class(es)</b>	
Class	8
Subsidiary risk	3
<b>Packing group</b>	II
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	No.
<b>Ems</b>	F-E, S-C



Special precautions for user Read safety instructions , SOS and emergency procedures before handling.  
 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

DOT



IATA; IMDG



**15. Regulatory information**

**US federal regulations**

**Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

2-propanol (CAS 67-63-0) Listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Classified hazard categories**

Flammable (gases, aerosols, liquids, or solids)  
 Acute toxicity (any route of exposure)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation

**Hazard categories**

Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - Yes  
 Pressure Hazard - No  
 Reactivity Hazard - No

**Section 302 extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical**

Yes

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% bywt.
2-propanol	67-63-0	5-<10

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

2-propanol (CAS 67-63-0)

Low priority

**FIFRA Information**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Listed below is the hazard information as required on the pesticide label.

**Signal word**

DANGER  
KEEP OUT OF REACH OF CHILDREN

**Hazard statement**

Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through skin.

**California Proposition 65**Pilot Chemical does not provide Proposition 65 information on our safety data sheets. Proposition 65 statements are available upon request by contacting [reginfo@pilotchemical.com](mailto:reginfo@pilotchemical.com).**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

Issue date	05-27-2015
Revision date	10/04/2019
Version#	04
HMIS® ratings	Health: 3 Flammability: 3 Physical hazard: 0
NFPA ratings	Health: 3 Flammability: 3 Instability: 0

**Disclaimer**

Bio-Dex Laboratories, LLC. product referred to in this document is sold pursuant to Bio-Dex Laboratories, LLC Standard Terms and Conditions ("Terms"); however, the information contained in this document shall not be considered part of said Terms. Although the information is believed to be accurate and reliable as of the date compiled, BIO-DEX Laboratories, LLC . MAKES NO GUARANTEE, REPRESENTATION , OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE ACCURACY, RE LIABILITY, SUFFICIENCY , SUITABILITY , MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF ANY INFORMATION IN THIS DOCUMENT OR THE PRODUCT TO WHICH THIS DOCUMENT RELATES . Users should make their own investigations, tests and determinations as to the information's completeness and the product's suitability for their particular purposes. It is the user's responsibility to ensure that all activities comply with applicable laws. BIO-DEX Laboratories, LLC makes no warranty or representation that the information or product may be used without infringing the intellectual property rights of BIO-DEX Laboratories, LLC or others. This document is provided gratuitously for guidance only and BIO-DEX Laboratories, LLC. assumes no liability for its use.

**Revision information**

This document has undergone significant changes and should be reviewed in its entirety.